EXHIBIT R

EXHIBIT 14

Case 2:23-cv-01049-JWH-KES Document 115-19 Filed 11/13/23 Page 3 of 23 Page ID #:2614

Entropic Communications, LLC v. Comcast Corp., et al. Case 2:23-cv-01050-JWH-KES (C.D. Cal.)

U.S. Patent No. 11,381,866 (the "'866 Patent") Exemplary Infringement Chart

Comcast operates and maintains a nationwide television and data network through which it sells, leases, and offers for sale products and services, including the Technicolor TC8717 cable modem, Technicolor CGM4140 cable modem, Technicolor CGM4331 cable modem, and products that operate in a similar manner ("Accused Cable Modem Products"), as well as the Arris AX013ANC STB, Arris AX013ANM STB, Arris AX014ANC STB, Arris AX014ANM STB, Arris MX011ANC STB, Arris MX011ANM STB, Pace PX013ANC STB, Pace PX013ANM STB, Pace PX022ANC STB, Pace PX022ANM STB, Samsung SX022ANC STB, Samsung SX022ANM STB, and products that operate in a similar manner ("Accused Set Top Products"). Comcast provides cable television and internet services ("Accused Services") via the lease, sale, and/or distribution of the Accused Cable Modem Products and/or the Accused Set Top Products. Comcast literally and/or under the doctrine of equivalents infringes the claims of the '866 Patent by making, using, selling, offering for sale, and/or importing the Accused Services, Accused Cable Modem Products, and/or the Accused Set Top Products.

As shown below in the chart with exemplary support, the Accused Services infringe at least claims 27, 28, 33, 36, 37, 41, 42, 47, 50, and 51 of U.S. Patent No. 11,381,866 ("'866 Patent"). The '866 Patent was filed January 28, 2022, issued July 5, 2022, and is entitled "Cable Television Device." The '866 Patent claims priority to U.S. Patent Application Serial No. 17/217,244, filed on Mar. 30, 2021; U.S. Patent Application Serial No. 16/430,506, filed on Jun. 4, 2019; U.S. Patent Application Serial No. 15/792,318, filed Oct. 24, 2017; U.S. Patent Application Serial No. 14/948,881, filed Nov. 23, 2015, U.S. Patent Application Serial No. 14/617,973, filed on Feb. 10, 2015; U.S. Patent Application Serial No. 13/962,871, filed on August 8, 2013; U.S. Patent Application Serial No. 12/762,900, filed on April 19, 2010; and U.S. Provisional Patent Application No. 61/170,526, filed April 17, 2009.

The Accused Services utilize the claimed device, for example, the Accused Set Top Products. The Accused Set Top Products infringe the claims of the '866 Patent, as described below, either directly under 35 U.S.C. § 271(a), or indirectly under 35 U.S.C. § 271(b)–(c).

#	U.S. Patent No. 11,381,866	Accused Products and Services	
27pre	27. A cable television (TV) device	The Accused Services utilize the claimed cable TV device by using, for example, the Accused	
	comprising:	Set Top Products, which include at least one set top box ("STB") located at each sub-scriber	
		location, including, for example, the Arris AX013ANC STB, Arris AX013ANM STB, Arris	
		AX014ANC STB, Arris AX014ANM STB, Arris MX011ANC STB, Arris MX011ANM STB,	
		Pace PX013ANC STB, Pace PX013ANM STB, Pace PX022ANC STB, Pace PX022ANM STB,	
		Samsung SX022ANC STB, Samsung SX022ANM STB, and products that operate in a similar	
		manner. By way of example, the Arris AX013ANM is charted herein.	
27a	a wideband analog-to-digital con-	The Accused Set Top Products include a wideband analog-to-digital converter (ADC) config-	
	verter (ADC) configured to digit-	ured to digitize a contiguous band of frequencies in an input signal, wherein the contiguous band	
	ize a contiguous band of frequen-	of frequencies comprises a plurality of desired channels and a plurality of undesired channels as	
	cies in an input signal, wherein the	described below.	
	contiguous band of frequencies		
	comprises a plurality of desired	Specifically, the Arris AX013ANM, depicted in the following annotated photograph, constitutes	
	channels and a plurality of unde-	a cable television device as claimed.	
	sired channels;	BCM33843 SoC	

#	U.S. Patent No. 11,381,866	Accused Products and Services
		The Arris AX013ANM has applicable circuitry and/or software modules constituting a wide-
		band ADC. The Arris AX013ANM digitally tunes and outputs television content using its ap-
		plicable circuity and/or software modules, for example applicable circuitry and/or software mod-
		ules located in the Broadcom BCM33843 Full-Band Capture SoC, highlighted in red above. The
		Arris AX013ANM has full band capture digital tuning technology and remote diagnostics that
		directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant, providing
		access to any channel anywhere. The entire downstream spectrum includes a plurality of desired
		channels and a plurality of undesired channels.
		"The new BCM3384 DOCSIS®/Euro-DOCSIS™ 3.0 cable gateway SoC combines Broadcom's
		Full-Band Capture (FBC) digital tuning technology with remote diagnostics, dual-band concur-
		rent Wi-Fi, a custom, dedicated applications processor and integrated DECT 6.0 CAT-iq 2.0
		Broadcom's new BCM33843 is pin compatible Broadcom is now sampling [as of Jan 08,
		2013] the BCM3384 and BCM33843"
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002036)
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip tech-
		nology directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant,
		providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive
		diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24
		downstream channels."
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		Discovery will provide detailed information regarding implementation and identification of the
		specific components, source code, software and/or other instrumentalities used to implement the
		claimed method. As additional information is obtained through discovery related to the Accused
		Services and related instrumentalities, Entropic will supplement these contentions.

#	U.S. Patent No. 11,381,866	Accused Products and Services	
27b	a digital frontend (DFE) coupled to the wideband ADC, wherein the DFE is configured to concurrently select and provide each of the plurality of desired channels without providing any of the plurality of undesired channels, and wherein the cable TV device comprises a digital video recorder (DVR).	The Accused Set Top Products include a digital frontend (DFE) coupled to the wideband ADC, wherein the DFE is configured to concurrently select and provide each of the plurality of desired channels without providing any of the plurality of undesired channels, and wherein the cable TV device comprises a digital video recorder (DVR) as described below. Specifically, the Arris AX013ANM has applicable circuitry and/or software modules constituting a digital frontend that concurrently selects and provides each of the plurality of desired channels without providing any of the plurality of undesired channels. The Arris AX013ANM has applicable circuitry and/or software modules, for example including applicable circuitry and/or software modules located in the BCM33843 SoC, constituting a digital frontend and providing full band capture digital tuning technology that directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant, providing access to any channel anywhere. The Arris AX013ANM is a DVR that can record approximately 150 total hours of HD programming on	
		Full-Band Capture Digital Tuner Architecture Analog Domain Digital Domain Demods xN (ENTROPIC_COMCAST_002029 at ENTROPIC_COMCAST_002031) "Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip technology directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant, providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive	

#	U.S. Patent No. 11,381,866	Accused Products and Services
#	U.S. Patent No. 11,381,866	diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24 downstream channels." (ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037) "Bandwidth flexibility: Supports DOCSIS and digital video on any frequency eliminating limitations of "block" tuners. When combined with Broadcom's set-top box SoC with fast acquisition technology, video channels can be pre-tuned and users can enjoy the experience of Broadcom's FastRTV TM fast channel change technology." (ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037) "Storage Capacity: Currently, your X1 DVR can record approximately 150 total hours of HD programming on the hard drive."
		(ENTROPIC_COMCAST_002961 at ENTROPIC_COMCAST_002963) Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Accused Services and related instrumentalities, Entropic will supplement these contentions.
28pre	28. The cable TV device of claim 27, wherein:	See 27pre.
28a	the cable TV device comprises a cable network connector, and	The cable TV device comprises a cable network connector as described below. Specifically, the Arris AX013ANM has a cable network connector, shown in blue in the following annotated photograph.

#	U.S. Patent No. 11,381,866	Accused Products and Services
		BCM33843 SoC RF Input
28b	the input signal is operably communicated from the cable network connector to the wideband ADC via at least one of an analog amplifier and an analog filter.	The input signal is operably communicated from the cable network connector to the wideband ADC via at least one of an analog amplifier and an analog filter as described below. Specifically, the Arris AX013ANM has applicable circuitry and/or software modules constituting at least an analog amplifier. For example, the Arris AX013ANM, via applicable circuitry and/or software modules of its BCM33843 SoC, has at least an analog amplifier, highlighted in yellow below.

Case 2:23-cv-01049-JWH-KES Document 115-19 Filed 11/13/23 Page 9 of 23 Page ID #:2620

#	U.S. Patent No. 11,381,866	Accus	sed Products and Services
		Full-Band Capture Digital Tuner Architecture	
		Analog Domain	Digital Domain
		LNA Pub Band Capture	Demods xN All Digital Tuner
		(ENTROPIC_COMCAST_002029 at	t ENTROPIC_COMCAST_002031, annotated)
		Discovery will provide detailed information regarding implementation and identification of the	
		specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Accused	
		Services and related instrumentalities	s, Entropic will supplement these contentions.
33pre	33. The cable TV device of claim 27, wherein:	See 27pre.	
33a	the DFE comprises a plurality of digital demodulators, and	The DFE comprises a plurality of dig	ital demodulators as described below.
		ing a plurality of demodulators. For	nas applicable circuitry and/or software modules constitutexample, the Arris AX013ANM, via applicable circuitry 33843 SoC, has a plurality of demodulators, highlighted in

Case 2:23-cv-01049-JWH-KES Document 115-19 Filed 11/13/23 Page 10 of 23 Page ID #:2621

#	U.S. Patent No. 11,381,866	Accused Pr	oducts and Services
		Full-Band Capture Digital Tuner Architecture	
		Analog Domain	Digital Domain
		LNA Part Band Capture	Demods xN All Digital Tuner
		(ENTROPIC_COMCAST_002029 at ENT	
		specific components, source code, software	n regarding implementation and identification of the and/or other instrumentalities used to implement the is obtained through discovery related to the Accused opic will supplement these contentions.
33b			of digital demodulators, is operable to demodulate a
	sired channel, of the plurality of desired channels.	ing a plurality of demodulators. For example	plicable circuitry and/or software modules constitut- ple, the Arris AX013ANM, via applicable circuitry SoC, has a plurality of demodulators, highlighted in te the desired channels.
		nology directly samples and digitizes the	ogy and remote diagnostics: Integrated on-chip tech- entire 1GHz downstream spectrum of a cable plant, Remote diagnostics provides real time, unobtrusive

Case 2:23-cv-01049-JWH-KES Document 115-19 Filed 11/13/23 Page 11 of 23 Page ID #:2622

#	U.S. Patent No. 11,381,866	Accused Products and Services	
		diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24	
		downstream channels."	
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)	
		"Bandwidth flexibility: Supports DOCSIS and digital video on any frequency eliminating limitations of "block" tuners. When combined with Broadcom's set-top box SoC with fast acquisition	
		technology, video channels can be pre-tuned and users can enjoy the experience of Broadcom's FastRTV TM fast channel change technology."	
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)	
		Discovery will provide detailed information regarding implementation and identification of the	
		specific components, source code, software and/or other instrumentalities used to implement the	
		claimed method. As additional information is obtained through discovery related to the Accused	
		Services and related instrumentalities, Entropic will supplement these contentions.	
36	36. The cable TV device of claim	The DFE is operable to provide the plurality of desired channels via a serial interface as de-	
	27, wherein: the DFE is operable	scribed below.	
	to provide the plurality of desired		
	channels via a serial interface.	More specifically, the Arris AX013ANM, using its applicable circuity and/or software modules, outputs the digital datastream from a filter to one or more demodulators. On informed belief, the	
		digital datastream is output via a serial interface. For example and on informed belief, the Arris	
		AX013ANM, using applicable circuitry and/or software modules contained in the BCM33843	
		Full-Band Capture SoC, outputs the digital datastream from the filter (highlighted below in green) to the demodulators (highlighted below in purple) via a serial interface.	

Case 2:23-cv-01049-JWH-KES Document 115-19 Filed 11/13/23 Page 12 of 23 Page ID #:2623

#	U.S. Patent No. 11,381,866	Accused Products and Services	
		Full-Band Capture Digital Tuner Architecture	
		Analog Domain Digital Domain	
		LINA Demods xN All Digital Tuner	
		(ENTROPIC_COMCAST_002029 at ENTROPIC_COMCAST_002031, annotated)	
		Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Accused Services and related instrumentalities, Entropic will supplement these contentions.	
37	37. The cable TV device of claim 27, wherein: the plurality of desired channels comprises at least one cable broadcast channel.	The plurality of desired channels comprises at least one cable broadcast channel as described below. Specifically, the Arris AX013ANM provides cable television services, including viewing and recording of desired television content. The plurality of desired channels includes at least this desired television content, which constitutes at least one cable broadcast channel. "Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip technology directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant, providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24 downstream channels."	

Case 2:23-cv-01049-JWH-KES Document 115-19 Filed 11/13/23 Page 13 of 23 Page ID #:2624

#	U.S. Patent No. 11,381,866	Accused Products and Services	
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)	
		"Bandwidth flexibility: Supports DOCSIS and digital video on any frequency eliminating limi-	
		tations of "block" tuners. When combined with Broadcom's set-top box SoC with fast acquisition	
		technology, video channels can be pre-tuned and users can enjoy the experience of Broadcom's	
		FastRTV TM fast channel change technology."	
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)	
		"Storage Capacity: Currently, your X1 DVR can record approximately 150 total hours of HD programming on the hard drive."	
		(ENTROPIC_COMCAST_002961 at ENTROPIC_COMCAST_002963)	
		Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Accused	
		Services and related instrumentalities, Entropic will supplement these contentions.	
41pre	41. A cable TV device compris-	The Accused Services utilize the claimed cable TV device by using, for example, the Accused	
	ing:	Set Top Products, which include at least one set top box ("STB") located at each sub-scriber	
		location, including, for example, the Arris AX013ANC STB, Arris AX013ANM STB, Arris	
		AX014ANC STB, Arris AX014ANM STB, Arris MX011ANC STB, Arris MX011ANM STB,	
		Pace PX013ANC STB, Pace PX013ANM STB, Pace PX022ANC STB, Pace PX022ANM STB,	
		Samsung SX022ANC STB, Samsung SX022ANM STB, and products that operate in a similar	
		manner. By way of example, the Arris AX013ANM is charted herein.	
41a	a wideband analog-to-digital con-	The Accused Set Top Products include a wideband analog-to-digital converter (ADC) config-	
	verter (ADC) configured to digit-	ured to digitize an input signal, wherein the input signal comprises a plurality of desired channels	
	ize an input signal, wherein the in-	and a plurality of undesired channels as described below.	
	put signal comprises a plurality of		

Case 2:23-cv-01049-JWH-KES Document 115-19 Filed 11/13/23 Page 14 of 23 Page ID #:2625

#	U.S. Patent No. 11,381,866	Accused Products and Services
	desired channels and a plurality of	
	undesired channels; and	a cable television device as claimed.
		BCM33843 SOC

Case 2:23-cv-01049-JWH-KES Document 115-19 Filed 11/13/23 Page 15 of 23 Page ID #:2626

#	U.S. Patent No. 11,381,866	Accused Products and Services
		The Arris AX013ANM has applicable circuitry and/or software modules constituting a wide-
		band ADC. The Arris AX013ANM digitally tunes and outputs television content using its ap-
		plicable circuity and/or software modules, for example applicable circuitry and/or software mod-
		ules located in the Broadcom BCM33843 Full-Band Capture SoC, highlighted in red above. The
		Arris AX013ANM has full band capture digital tuning technology and remote diagnostics that
		directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant, providing
		access to any channel anywhere. The entire downstream spectrum includes a plurality of desired channels and a plurality of undesired channels.
		"The new BCM3384 DOCSIS®/Euro-DOCSIS™ 3.0 cable gateway SoC combines Broadcom's
		Full-Band Capture (FBC) digital tuning technology with remote diagnostics, dual-band concur-
		rent Wi-Fi, a custom, dedicated applications processor and integrated DECT 6.0 CAT-iq 2.0
		Broadcom's new BCM33843 is pin compatible Broadcom is now sampling [as of Jan 08,
		2013] the BCM3384 and BCM33843"
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002036)
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip tech-
		nology directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant,
		providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive
		diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24
		downstream channels."
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		Discovery will provide detailed information regarding implementation and identification of the
		specific components, source code, software and/or other instrumentalities used to implement the
		claimed method. As additional information is obtained through discovery related to the Accused
		Services and related instrumentalities, Entropic will supplement these contentions.

Case 2:23-cv-01049-JWH-KES Document 115-19 Filed 11/13/23 Page 16 of 23 Page ID #:2627

#	U.S. Patent No. 11,381,866	Accused Products and Services
41b	a plurality of digital down con-	The Accused Set Top Products include a plurality of digital down converters coupled to the
	verters coupled to the wideband	wideband ADC, wherein each digital down converter, of the plurality of digital down converters,
	ADC, wherein each digital down	is operable to generate a digital channel output corresponding to each desired channel, of the
	converter, of the plurality of digi-	plurality of desired channels, and wherein the cable TV device comprises a digital video recorder
	tal down converters, is operable to	(DVR) as described below.
	generate a digital channel output	
	corresponding to each desired	
	channel, of the plurality of desired	ing a plurality of digital down converters coupled to the wideband ADC. The Arris AX013ANM
	channels, and wherein the cable	has applicable circuitry and/or software modules, for example including applicable circuitry
	TV device comprises a digital	and/or software modules located in the BCM33843 SoC, providing full band capture digital
	video recorder (DVR).	tuning technology that directly samples and digitizes the entire 1GHz downstream spectrum of
		a cable plant, providing access to any channel anywhere. On informed belief, at least this appli-
		cable circuitry and/or software modules of the Arris AX013ANM constitutes digital down con-
		verters operable to generate a digital channel output corresponding to each desired channel, of
		the plurality of desired channels. The Arris AX013ANM is a DVR that can record approximately
		150 total hours of HD programming on its hard drive.
		Full-Band Capture Digital Tuner Architecture
		Analog Domain Digital Domain
		LNA Demods xN
		Fall-Band Capture
		All Digital Tuner
		(ENTROPIC_COMCAST_002029 at ENTROPIC_COMCAST_002031)

Case 2:23-cv-01049-JWH-KES Document 115-19 Filed 11/13/23 Page 17 of 23 Page ID #:2628

#	U.S. Patent No. 11,381,866	Accused Products and Services
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip tech-
		nology directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant,
		providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive
		diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24 downstream channels."
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		"Bandwidth flexibility: Supports DOCSIS and digital video on any frequency eliminating limi-
		tations of "block" tuners. When combined with Broadcom's set-top box SoC with fast acquisition
		technology, video channels can be pre-tuned and users can enjoy the experience of Broadcom's
		FastRTV™ fast channel change technology."
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		"Storage Capacity: Currently, your X1 DVR can record approximately 150 total hours of HD programming on the hard drive."
		(ENTROPIC_COMCAST_002961 at ENTROPIC_COMCAST_002963)
		Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Accused
		Services and related instrumentalities, Entropic will supplement these contentions.
42pre	42. The cable TV device of claim 41, wherein:	See 41pre.
42a	the cable TV device comprises a	The cable TV device comprises a cable network connector as described below.
	cable network connector, and	
		Specifically, the Arris AX013ANM has a cable network connector, shown in blue in the follow-
		ing annotated photograph.

Case 2:23-cv-01049-JWH-KES Document 115-19 Filed 11/13/23 Page 18 of 23 Page ID #:2629

#	U.S. Patent No. 11,381,866	Accused Products and Services
		BCM33843 SoC RF Input
42b	the input signal is operably com-	The input signal is operably communicated from the cable network connector to the wideband
	municated from the cable network	ADC via at least one of an analog amplifier and an analog filter as described below.
	connector to the wideband ADC	
	via at least one of an analog ampli-	Specifically, the Arris AX013ANM has applicable circuitry and/or software modules constitut-
	fier and an analog filter.	ing at least an analog amplifier. For example, the Arris AX013ANM, via applicable circuitry

Case 2:23-cv-01049-JWH-KES Document 115-19 Filed 11/13/23 Page 19 of 23 Page ID #:2630

#	U.S. Patent No. 11,381,866	Accused Products and Services
		and/or software modules of its BCM33843 SoC, has at least an analog amplifier, highlighted in
		yellow below.
		Full-Band Capture Digital Tuner Architecture
		Analog Domain Digital Domain
		LINA Demods xN All Digital Tuner
		(ENTROPIC_COMCAST_002029 at ENTROPIC_COMCAST_002031, annotated)
		Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Accused Services and related instrumentalities, Entropic will supplement these contentions.
47	47. The cable TV device of claim	Each digital down converter comprises a digital demodulator operable to demodulate a desired
	41, wherein: each digital down converter comprises a digital demodulator operable to demodulate	channel, of the plurality of desired channels, to provide a demodulated channel as the digital channel output as described below.
	a desired channel, of the plurality	Specifically, the Arris AX013ANM has applicable circuitry and/or software modules constitut-
	of desired channels, to provide a	ing a plurality of demodulators. For example, the Arris AX013ANM, via applicable circuitry
	demodulated channel as the digital channel output.	and/or software modules of its BCM33843 SoC, has a plurality of demodulators, highlighted in purple below. The demodulators demodulate the desired channels and provide the demodulated channel as the digital channel output.

Case 2:23-cv-01049-JWH-KES Document 115-19 Filed 11/13/23 Page 20 of 23 Page ID #:2631

#	U.S. Patent No. 11,381,866	Accused Pr	oducts and Services
		Full-Band Capture Digital Tune	er Architecture
		Analog Domain	Digital Domain
		LNA Full-Band Capture	Demods xN All Digital Tuner
		nology directly samples and digitizes the exproviding access to any channel anywhere.	ROPIC_COMCAST_002031, annotated) egy and remote diagnostics: Integrated on-chip techentire 1GHz downstream spectrum of a cable plant, Remote diagnostics provides real time, unobtrusive ies, without effecting user service on any of the 24
		downstream channels." (ENTROPIC_COMCAST_002035 at ENT	•
		tations of "block" tuners. When combined w	
		<u> </u>	n regarding implementation and identification of the and/or other instrumentalities used to implement the

Case 2:23-cv-01049-JWH-KES Document 115-19 Filed 11/13/23 Page 21 of 23 Page ID #:2632

#	U.S. Patent No. 11,381,866	Accused Products and Services
		claimed method. As additional information is obtained through discovery related to the Accused Services and related instrumentalities, Entropic will supplement these contentions.
50	50. The cable TV device of claim 41, wherein: the plurality of digital down converters is operable to provide each digital channel output via a serial interface.	The plurality of digital down converters are operable to provide each digital channel output via a serial interface as described below. More specifically, the Arris AX013ANM, using its applicable circuity and/or software modules, outputs a digital datastream from a filter to one or more demodulators. On informed belief, the digital datastream is output via a serial interface. For example and on informed belief, the Arris AX013ANM, using applicable circuitry and/or software modules contained in the BCM33843 Full-Band Capture SoC, outputs the digital datastream from the filter (highlighted below in green) to the demodulators (highlighted below in purple) via a serial interface.
		Full-Band Capture Digital Tuner Architecture
		Analog Domain Digital Domain Demods xN All Digital Tuner
		(ENTROPIC_COMCAST_002029 at ENTROPIC_COMCAST_002031, annotated)
		Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Accused Services and related instrumentalities, Entropic will supplement these contentions.

Case 2:23-cv-01049-JWH-KES Document 115-19 Filed 11/13/23 Page 22 of 23 Page ID #:2633

#	U.S. Patent No. 11,381,866	Accused Products and Services
51	51. The cable TV device of claim 41, wherein: the plurality of desired channels comprises at least one cable broadcast channel.	The plurality of desired channels comprises at least one cable broadcast channel as described below. Specifically, the Arris AX013ANM provides cable television services, including viewing and
	one capic broadcast channel.	recording of desired television content. The plurality of desired channels includes at least this desired television content, which constitutes at least one cable broadcast channel.
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip technology directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant, providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24 downstream channels."
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037) "Bandwidth flexibility: Supports DOCSIS and digital video on any frequency eliminating limitations of "block" tuners. When combined with Broadcom's set-top box SoC with fast acquisition technology, video channels can be pre-tuned and users can enjoy the experience of Broadcom's FastRTV TM fast channel change technology." (ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		"Storage Capacity: Currently, your X1 DVR can record approximately 150 total hours of HD programming on the hard drive." (ENTROPIC_COMCAST_002961 at ENTROPIC_COMCAST_002963) Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the

Case 2:23-cv-01049-JWH-KES Document 115-19 Filed 11/13/23 Page 23 of 23 Page ID #:2634

;	#	U.S. Patent No. 11,381,866	Accused Products and Services
			claimed method. As additional information is obtained through discovery related to the Accused
			Services and related instrumentalities, Entropic will supplement these contentions.